

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	((rais\$3 or increas\$3) with (baseband or (base adj band))) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:08
L2	17	((rais\$3 or increas\$3) with (chroma)) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:04
L3	0	((rais\$3 or increas\$3) with (peak adj peak adj voltage)) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:05
L4	0	((rais\$3 or increas\$3) with (peak adj peak adj voltage))) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:05
L5	3	((rais\$3 or increas\$3) with (peak adj peak)) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:05
L6	13	((rais\$3 or increas\$3) with (baseband or (base adj band))) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:17
L7	1	09/928332	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:09
L8	0	((rais\$3 or increas\$3) near1 (baseband or (base adj band))) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:18

EAST Search History

L9	1	((rais\$3 or increas\$3) near3 (baseband or (base adj band))) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:14
L10	14	((rais\$3 or increas\$3) near2 (baseband or (base adj band))) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:22
L11	4	((rais\$3 or increas\$3) near1 (baseband or (base adj band))) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
L12	38	((rais\$3 or increas\$3) near3 (baseband or (base adj band))) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
L13	24	((rais\$3 or increas\$3) near2 (baseband or (base adj band))) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
L14	11	((rais\$3 or increas\$3) near2 (baseband or (base adj band))) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
L15	52	((rais\$3 or increas\$3) near2 (chroma))) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:22
L16	10	((rais\$3 or increas\$3) near2 (chroma)) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:32

EAST Search History

L17	257	((increas\$3 or rais\$3) near3 chroma) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:36
L18	5	((increas\$3 or rais\$3) near3 chroma) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:33
L19	22	((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:51
L20	0	((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
L21	0	((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:37
L22	0	((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) and demodulat\$3 and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:37
L23	0	((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with receiver) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
L24	0	((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with receiv\$) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38

EAST Search History

L25	2	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with (input adj signal)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
L26	411	((equaliz\$3) near3 (high adj frequency)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:41
L27	4	((((equaliz\$3) near3 (high adj frequency)) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:42
L28	222	((increas\$3 or rais\$3) near3 (baseband or (base adj band))) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:51
L29	16	((increas\$3 or rais\$3) near3 (baseband or (base adj band)) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:06
L30	38	((increas\$3 or rais\$3) near3 (baseband or (base adj band)) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:06
L31	22	30 not 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:06
S1	6	"127963".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:32

EAST Search History

S2	15	((("5130793") or ("5528283") or ("5528286") or ("5566232") or ("5574964") or ("5612730") or ("5613190") or ("5621455") or ("5633614") or ("5638426") or ("5673205") or ("5903372") or ("5905942") or ("5936660") or ("6088368"))).PN.	USPAT	OR	OFF	2005/10/12 09:59
S3	347	(725/112).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 07:13
S4	2	("6038425").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 10:45
S5	2	("6567981").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 10:45
S6	55	725/120.ccls. and (ip or (internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 16:04
S7	3	725/120.ccls. and (ip or (internet adj protocol)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 16:06
S8	35	"725"/\$.ccls. and ((ip or (internet adj protocol)) with request\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 16:54
S9	36	"725"/99.ccls. and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 16:54

EAST Search History

S10	9	"725"/99.ccls. and @ad<"19980803" and (ip or (internet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 16:57
S11	5	"725"/99.ccls. and @ad<"19980803" and (ip or (internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 16:59
S12	56	"725"/\$.ccls. and @ad<"19980803" and ((ip or (internet adj protocol)) same ((twisted adj pair) or (telephone)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 16:59
S13	2	"725"/\$.ccls. and @ad<"19980803" and ((ip or (internet adj protocol)) same ((twisted adj pair) or (telephone adj wire)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:01
S14	19	"725"/\$.ccls. and @ad<"19980803" and ((ip or (internet adj protocol)) same (pstn))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:06
S15	52	"725"/\$.ccls. and @ad<"19980803" and (demodulat\$3 with different with (format or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:08
S16	27	"725"/\$.ccls. and @ad<"19980803" and (demodulat\$3 with (different near3 (format or signal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 08:11
S17	0	"725"/\$.ccls. and @ad<"19980803" and (server with demodulat\$3 with (different near3 (format or signal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:08

EAST Search History

S18	0	"725"/\$.cccls. and @ad<"19980803" and (server with demodulat\$3 with different with (format or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:08
S19	0	"725"/\$.cccls. and @ad<"19980803" and (headend with demodulat\$3 with different with (format or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:08
S20	0	"725"/\$.cccls. and @ad<"19980803" and ((demodulat\$3 with (different near3 (format or signal))) same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:09
S21	0	"725"/\$.cccls. and @ad<"19980803" and ((demodulat\$3 with (different near3 (format or signal))) same headend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:09
S22	14	"725"/\$.cccls. and @ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)) or (red near3 black)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 08:36
S23	88	@ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)) or (red near3 black))) same (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 08:38
S24	31	@ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)) or (red near3 black))) with (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 08:37
S25	1	@ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)))) same (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 08:39

EAST Search History

S26	1	@ad<"19980803" and (((unused with ((twisted adj pair) or (telephone adj wire)))) same (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 08:39
S27	96	725/78.ccls. and (joystick or (card adj reader) or keyboard or (bar adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 08:41
S28	33	725/78.ccls. and (joystick or (card adj reader) or keyboard or (bar adj code)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 08:45
S29	1	725/78.ccls. and (computer with signal with demodulator) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 08:46
S30	1	725/78.ccls. and (computer with control with demodulator) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 08:49
S31	4	(equaliz\$3 with (high adj frequency)) same (increas\$3 with chroma) same (increas\$3 with (peak near2 peak) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:16